

11/590,976B Yong Chu 06/16/2009

\*\*Full scope\*\*

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptaylc1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	DEC 01	ChemPort single article sales feature unavailable
NEWS	3	APR 03	CAS coverage of exemplified prophetic substances enhanced
NEWS	4	APR 07	STN is raising the limits on saved answers
NEWS	5	APR 24	CA/CAPLUS now has more comprehensive patent assignee information
NEWS	6	APR 26	USPATFULL and USPAT2 enhanced with patent assignment/reassignment information
NEWS	7	APR 28	CAS patent authority coverage expanded
NEWS	8	APR 28	ENCOMPLIT/ENCOMPLIT2 search fields enhanced
NEWS	9	APR 28	Limits doubled for structure searching in CAS REGISTRY
NEWS	10	MAY 08	STN Express, Version 8.4, now available
NEWS	11	MAY 11	STN on the Web enhanced
NEWS	12	MAY 11	BEILSTEIN substance information now available on STN Easy
NEWS	13	MAY 14	DGENE, PCTGEN and USGENE enhanced with increased limits for exact sequence match searches and introduction of free HIT display format
NEWS	14	MAY 15	INPADOCDB and INPAFAMDB enhanced with Chinese legal status data
NEWS	15	MAY 28	CAS databases on STN enhanced with NANO super role in records back to 1992
NEWS	16	JUN 01	CAS REGISTRY Source of Registration (SR) searching enhanced on STN

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,  
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 10:40:43 ON 16 JUN 2009

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.22

0.22

FILE 'REGISTRY' ENTERED AT 10:40:57 ON 16 JUN 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 15 JUN 2009 HIGHEST RN 1158168-92-3

DICTIONARY FILE UPDATES: 15 JUN 2009 HIGHEST RN 1158168-92-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.



REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Documents and

Settings\ychu\Desktop\Case\10590976\10590976B\_06162009.str



chain nodes :

10 11 12 14 22 26 27 28 31 33 35

ring nodes :

1 2 3 4 5 6 7 8 9 13 16 17 18 19 20

chain bonds :

4-26 7-10 8-11 9-33 9-35 10-22 11-12 12-13 12-14 27-28

ring bonds :

```
G1 H, Me, Et
G2 H, Me, Et, X
G3 H, [ @1 ]
```

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 10:41:51 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 136 TO ITERATE

100.0% PROCESSED 136 ITERATIONS 50 ANSWERS  
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 2021 TO 3419  
PROJECTED ANSWERS: 1882 TO 3238  
-----

L2 50 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 10:42:17 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 3010 TO ITERATE

100.0% PROCESSED 3010 ITERATIONS 2863 ANSWERS  
SEARCH TIME: 00.00.01

L3 2863 SEA SSS FUL L1  
-----

=> save temp l3

ENTER NAME OR (END):yc10590976/a

ANSWER SET L3 HAS BEEN SAVED AS 'YC10590976/A'  
-----

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	186.84	187.06

FILE 'CAPLUS' ENTERED AT 10:42:54 ON 16 JUN 2009  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Jun 2009 VOL 150 ISS 25  
FILE LAST UPDATED: 15 Jun 2009 (20090615/ED)  
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2009  
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2009

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13

L4 26 L3

=> s halide salt

163353 HALIDE

135680 HALIDES

235475 HALIDE

(HALIDE OR HALIDES)

890769 SALT

676873 SALTS

1314616 SALT

(SALT OR SALTS)

L5 2345 HALIDE SALT

(HALIDE(W) SALT)

=> s 14 and 15

L6 1 L4 AND L5

=> s 14 and electrolyte

288913 ELECTROLYTE

148781 ELECTROLYTES

345301 ELECTROLYTE

(ELECTROLYTE OR ELECTROLYTES)

L7 1 L4 AND ELECTROLYTE

=> s 16 not 17

L8 0 L6 NOT L7

=> s 14 and decomposition

209589 DECOMPOSITION

1263 DECOMPOSITIONS

210458 DECOMPOSITION

(DECOMPOSITION OR DECOMPOSITIONS)

466936 DECOMPN

5163 DECOMPNS

468728 DECOMPN

(DECOMPN OR DECOMPNS)

559969 DECOMPOSITION

(DECOMPOSITION OR DECOMPN)

L9 1 L4 AND DECOMPOSITION

=> s 19 not 17

L10 0 L9 NOT L7

=> d 16 isib abs hitstr tot

'ISIB' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB

ALL ----- BIB, AB, IND, RE

APPS ----- AI, PRAI

BIB ----- AN, plus Bibliographic Data and PI table (default)  
 CAN ----- List of CA abstract numbers without answer numbers  
 CBIB ----- AN, plus Compressed Bibliographic Data  
 CLASS ----- IPC, NCL, ECLA, FTERM  
 DALL ----- ALL, delimited (end of each field identified)  
 DMAX ----- MAX, delimited for post-processing  
 FAM ----- AN, PI and PRAI in table, plus Patent Family data  
 FBIB ----- AN, BIB, plus Patent FAM  
 IND ----- Indexing data  
 IPC ----- International Patent Classifications  
 MAX ----- ALL, plus Patent FAM, RE  
 PATS ----- PI, SO  
 SAM ----- CC, SX, TI, ST, IT  
 SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;  
 SCAN must be entered on the same line as the DISPLAY,  
 e.g., D SCAN or DISPLAY SCAN)  
 STD ----- BIB, CLASS  
  
 IABS ----- ABS, indented with text labels  
 IALL ----- ALL, indented with text labels  
 IBIB ----- BIB, indented with text labels  
 IMAX ----- MAX, indented with text labels  
 ISTD ----- STD, indented with text labels  
  
 OBIB ----- AN, plus Bibliographic Data (original)  
 OIBIB ----- OBIB, indented with text labels  
  
 SBIB ----- BIB, no citations  
 SIBIB ----- IBIB, no citations  
  
 HIT ----- Fields containing hit terms  
 HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)  
 containing hit terms  
 HITRN ----- HIT RN and its text modification  
 HITSTR ----- HIT RN, its text modification, its CA index name, and  
 its structure diagram  
 HITSEQ ----- HIT RN, its text modification, its CA index name, its  
 structure diagram, plus NTE and SEQ fields  
 FHITSTR ----- First HIT RN, its text modification, its CA index name, and  
 its structure diagram  
 FHITSEQ ----- First HIT RN, its text modification, its CA index name, its  
 structure diagram, plus NTE and SEQ fields  
 KWIC ----- Hit term plus 20 words on either side  
 OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.


All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.  
 ENTER DISPLAY FORMAT (BIB):end

=> d 16 ibib abs hitstr tot

ACCESSION NUMBER: 2005:1004569 CAPLUS Full-text  
 DOCUMENT NUMBER: 143:292577  
 TITLE: Composition containing benzamidine derivative and  
 method for stabilizing benzamidine derivative  
 INVENTOR(S): Suzuki, Yasuyuki; Fujioka, Satoshi  
 PATENT ASSIGNEE(S): Eisai Co., Ltd., Japan  
 SOURCE: PCT Int. Appl., 29 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

\*\*Current application\*\*

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005084679	A1	20050915	WO 2005-JP3742	20050304
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2005219090	A1	20050915	AU 2005-219090	20050304
AU 2005219090	B2	20080110		
CA 2558191	A1	20050915	CA 2005-2558191	20050304
EP 1721610	A1	20061115	EP 2005-720014	20050304
EP 1721610	B1	20090513		
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, LV, MK, YU				
CN 1925861	A	20070307	CN 2005-80006933	20050304
AT 431150	T	20090515	AT 2005-720014	20050304
US 20070208016	A1	20070906	US 2006-590976	20060828
KR 2006117365	A	20061116	KR 2006-717795	20060901
KR 760448	B1	20071004		
PRIORITY APPLN. INFO.:			JP 2004-61472	A 20040304
			WO 2005-JP3742	W 20050304
OTHER SOURCE(S):			MARPAT 143:292577	
GI				



AB Disclosed is a compn. contg. a benzamidine deriv. which is not decompd. even  
 under humidified conditions. Also disclosed is a method for stabilizing a  
 benzamidine deriv. Decompn. reaction of benzamidine derivs. can be suppressed  
 by adding at least one electrolyte selected from the group consisting of

halide salts of alkali metals or alk. earth metals and perchlorates of alkali metals or alk. earth metals to a benzamidine deriv. represented by the general formula I (R1, R2 = H, methoxy, ethoxy; X = H, halogen; Ar = Me, Et, methoxy, ethoxy, tert-Bu, morpholinyl, etc), or a pharmacol. acceptable salt thereof. For example, tablets were prepd. from 1-(3-tert-butyl-4-methoxy-5-morpholino-phenyl)-2-(5,6-diethoxy-7-fluoro-1-imino-1,3-dihydro-isoindol-2-yl)-ethanone 1, lactose 117, hydroxypropyl cellulose 7.5, hydroxypropyl Me cellulose 4.5, NaCl 4.5, cryst. cellulose 15, and magnesium stearate 0.75 g.


IT 474624-49-2 734528-58-6 751475-53-3  
752978-65-7 759452-62-5 790653-73-5  
792182-11-7

RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(compns. contg. benzamidine derivs. and electrolytes, and method for stabilizing benzamidine deriv.)

RN 474624-49-2 CAPLUS


CN Ethanone, 2-(5,6-diethoxy-7-fluoro-1,3-dihydro-1-imino-2H-isoindol-2-yl)-1-[3-(1,1-dimethylethyl)-5-[(3S,4S)-3-hydroxy-4-methoxy-1-pyrrolidinyl]-4-methoxyphenyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 734528-58-6 CAPLUS


CN Ethanone, 2-(5,6-diethoxy-7-fluoro-1,3-dihydro-1-imino-2H-isoindol-2-yl)-1-[3-(1,1-dimethylethyl)-5-(4-hydroxy-1-piperidinyl)-4-methoxyphenyl]- (CA INDEX NAME)



RN 751475-53-3 CAPLUS


CN Ethanone, 2-(5,6-diethoxy-7-fluoro-1,3-dihydro-1-imino-2H-isoindol-2-yl)-1-[3-(1,1-dimethylethyl)-4-methoxy-5-(4-morpholinyl)phenyl]- (CA INDEX NAME)






RN 752978-65-7 CAPLUS

CN Ethanone, 2-(5,6-diethoxy-7-fluoro-1,3-dihydro-1-imino-2H-isoindol-2-yl)-1-[3-(1,1-dimethylethyl)-5-[4-(2-hydroxyacetyl)-1-piperazinyl]-4-methoxyphenyl]- (CA INDEX NAME)




RN 759452-62-5 CAPLUS

CN Ethanone, 2-(5,6-diethoxy-7-fluoro-1,3-dihydro-1-imino-2H-isoindol-2-yl)-1-[3-(1,1-dimethylethyl)-4-methoxy-5-(1-piperazinyl)phenyl]- (CA INDEX NAME)




RN 790653-73-5 CAPLUS

CN 1-Piperazineacetic acid, 4-[5-[2-(5,6-diethoxy-7-fluoro-1,3-dihydro-1-imino-2H-isoindol-2-yl)acetyl]-3-(1,1-dimethylethyl)-2-methoxyphenyl]-, ethyl ester (CA INDEX NAME)



RN 792182-11-7 CAPLUS  
 CN 1-Piperazineacetonitrile, 4-[5-[2-(5,6-diethoxy-7-fluoro-1,3-dihydro-1-imino-2H-isoindol-2-yl)acetyl]-3-(1,1-dimethylethyl)-2-methoxyphenyl]-  
 (CA INDEX NAME)



REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS  
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

=>

Executing the logoff script...

=> LOG H

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	18.10	205.16
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.82	-0.82

SESSION WILL BE HELD FOR 120 MINUTES  
 STN INTERNATIONAL SESSION SUSPENDED AT 10:47:15 ON 16 JUN 2009